UVElite Page 1 of 7



# SAFETY DATA SHEET UVElite



SDS according to Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex II-EU

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Date issued 31.07.2014

1.1. Product identifier

Product name UVElite

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation Waterborne wood floor finish.

### 1.3. Details of the supplier of the safety data sheet

Company name Arboritec AB Postal address Olof Wijksväg 9 Postcode SE-444 65 Jörlanda City Country Sverige Tel 0303-563 30 Fax 0303-563 32 E-mail post@arboritec.com Website http://www.arboritec.com Contact person Jörgen Kaldemark

### 1.4. Emergency telephone number

Emergency telephone In case of medical emergency call:112

### SECTION 2: Hazards identification

### 2.1. Classification of substance or mixture

### 2.2. Label elements

Composition on the label Benzophenone: < 1 %

2.3. Other hazards

Other hazards When spray applying see section 8.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

SubstanceIdentificationClassificationContentsBenzophenoneCAS no.: 119-61-9Xn, N; R48/22, R51/53< 1 %</td>EC no.: 204-337-6STOT RE2; H373Aquatic Chronic 2; H411

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

General	Get medical advice/attention if you feel unwell. Never give anything by mouth
	to an unconscious person.
Inhalation	Use with adequate ventilation

UVElite Page 2 of 7

Skin contact	Remove/Take off immediately all contaminated clothing. IF ON SKIN: Wash
	with plenty of soap and water. Do NOT use solvents or thinners.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing. Get medical
	advice/attention if you feel unwell.
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel
	unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Recommended extinguishing media: alcohol resistant foam, CO2, powders,

water spray. Do not use water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards Fire will produce dense black smoke. Decomposition products can be

hazardous. At high temperatures create: Carbon monoxide (CO), carbon

dioxide (CO2), smoke, nitrogen gases (NOx).

### 5.3. Advice for firefighters

Personal protective equipment Wear respiratory protection.

Other Information Eliminate all ignition sources if safe to do so. Do not allow run-off from fire

fighting to enter drains or water courses.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	See section 7 and 8.
Personal protection measures	In case of inadequate ventilation wear respiratory protection. Wear fire / flame resistant / retardant clothing. Use personal protective equipment as required. Wear cold insulating gloves / face shield / eye protection. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

### 6.2. Environmental precautions

Environmental precautionary	Collect spillage. Avoid release to the environment. If the product contaminates
measures	lakes, rivers or sewers, inform appropriate authorities in accordance with
	local regulations.

### 6.3. Methods and material for containment and cleaning up

Cleaning method	Contain and collect spillage with non-combustible absorbent materials, e.g.
	sand, earth, vermiculite, diatomaceous earth and place in container for
	disposal according to local regulations (see section 13). Clean preferably with
	a detergent: avoid use of solvents.

### 6.4. Reference to other sections

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Handling Avoid spilling, skin- and eye contact. Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid breathing dust.

### **Protective Safety Measures**

Protective Safety Measures Smoking, eating and drinking should be prohibited in application area.

Remove contaminated clothing and protective gear before you get to an area

UVElite Page 3 of 7

	where meals are taken.
Additional information	For personal protection see Section 8. Never use pressure to empty :
	container is not a pressure vessel.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage	Keep only in original container. Store in a well-ventilated place. Keep	
	container tightly closed. Keep cool. Protect from sunlight. Store in a dry place.	
	Tillse att gällande arbetsmiljölagstiftning följs.	
Conditions To Avoid	Keep away from heat / sparks / open flames / hot surfaces. — No smoking.	
	Protect from sunlight. Keep away from oxidizing agents, from strongly alkaline	
	and strongly acid materials. Prevent unauthorized access.	

### **Conditions for safe storage**

Storage Temperature Value: 5-25 Celsius

7.3. Specific end use(s)

Recommendations Do not handle until all safety precautions have been read and understood.

Specific end users

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Occupational Exposure limit values

Substance	Identification	Value	TWA Year
Benzophenone	CAS no.: 119-61-9		
	EC no.: 204-337-6		

### 8.2. Exposure controls

### Precautionary measures to prevent exposure

Appropriate engineering controls	Use with adequate ventilation. If possible this should be achieved by local
	extraction and good exhaust ventilation. If these are not sufficient to maintain
	concentrations of particulates and solvent vapors below the OEL, suitable
	respiratory equipment.

### Respiratory protection

Respiratory protection with gas litter (brown A) must be used if all	
concentration exceeds acceptable level (OEL).	
When spraying, use half-or full face mask with filter P2 (IIb) to spray.	

### **Hand protection**

Hand protection	vvear cold insulating gloves / face shield / eye protection.	
Skin-/ hand protection, long term	For prolonged or repeated contact use gloves made of butyl rubber.	
contact		
Suitable materials	Barrier creams may help to protect the skin, but they should however not be used once exposure has occurred.	

### Eye / face protection

Suitable Eve Protection	Wear cold insulating gloves /	face shield / eve protection
Suitable Lyc i Totection	VVCai cold ilibulatiliq qiovco /	iace silicia / cyc protection.

### Skin protection

Skin protection (except hands) Wear fire / flame resistant / retardant clothing.

### **Exposure controls**

Safety measures for consumer use Read label before use. of the chemical

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Odour	Faint.

UVElite Page 4 of 7

Comments, Odour limit	Not applicable.
Comments, pH (as supplied)	Not determined.
Comments, pH (aqueous solution)	Not determined .
Comments, Melting point / melting	Not determined.
range	
Comments, Boiling point / boiling	Not determined.
range	
Comments, Flash point	Not applicable.
Comments, Evaporation rate	Not determined.
Flammability (solid, gas)	Not determined
Comments, Explosion limit	Not applicable.
Comments, Vapour pressure	Not determined.
Comments, Vapour density	Not determined.
Specific gravity	Value: 1,05 g/ml
	Method of testing: CC-Stängd kopp
	Test temperature: 23 °C
Solubility in water	unlimited.
Comments, Partition coefficient: n-	Not applicable.
octanol / water	
Comments, Decomposition	Not determined
temperature	
Comments, Viscosity	Not determined.
	Does not affect the assessment.
Explosive properties	Not explosive.
Oxidising properties	Not Oxidising.

# 9.2. Other information

Content Of Voc	value. 3 g/l
	Comments: initial boiling point less than or equal to 250°C

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No reactive.

### 10.2. Chemical stability

Stability Stable under recommended storage and handling conditions (see section 7).

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
No dangerous if handled according to Technical Information.

### 10.4. Conditions to avoid

Conditions to avoid No applicable.

### 10.5. Incompatible materials

Materials to avoid

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reaction.

### 10.6. Hazardous decomposition products

Hazardous decomposition products When exposed to high temperature may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicological data for substances

Substance	Benzophenone
LD50 oral	Value: 2,356 mg/kg
	Animal test species: Rat

UVElite Page 5 of 7

	Test reference: OECD Guidline 401 Comments: Tested as a preparation.
LD50 dermal	Value: > 5000 mg/kg Animal test species: Rat Comments: The statements are based on the properties of the individual components.
LC50 inhalation	Value: Not determined. Animal test species: Rat Duration: 4h
Assessment of acute toxicity classification	Irritating respiratory system, according to the conventional method.
Missing language page:110, post:1702, language:4	Toxicity type: Skin irritation Method: OECD Guidline 404 Species: Non-irritant
Missing language page:110, post:1702, language:4	Toxicity type: Eye irritation Method: OECD Guidline 404 Species: Non-irritant
Missing language page:110, post:1702, language:4	Toxicity type: Skin irritation Species: When prolonged impact of the product is irritation of skin and mucous membrane potential.

### **Potential acute effects**

Inhalation	May cause drowsiness or dizziness. May cause respiratory irritation.
Skin contact	No information is available.
Eye contact	No information available.
Ingestion	Ingestion may cause nausea and vomiting.
Skin corrosion / irritation, other	No information available.
information	
Aspiration hazard, comments	When applying see section 8.
Eye damage or irritation other info	If splashed in the eyes, the liquid may cause irritation and reversible
	damage.

## Delayed effects / repeated exposure

General respiratory or skin	Prolonged or repeated contact may defat the skin, resulting in non-allergic
sensitisation	contact eczema and absorption through the skin.
STOT-single exposure	No information available.
STOT-repeated exposure	No information available.

## Carcinogenic, Mutagenic or Reprotoxic

Carcinogenicity human experience	No information is available.
Germ Cell Mutagenicity, human	No information available.
experience	
Reproductive toxicity	No information available.

# SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic, fish, Comments Not expected to be toxic to aquatic life.

# Toxicological data for substances

Substance	Benzophenone
Acute aquatic, fish	Value: > 10-100 mg/l Method of testing: LC50 Duration: 96h Test reference: The product has not been tested. The statement has been derived from the properties of the individual components.
Acute aquatic, algae	Value: > 1-10 mg/l Method of testing: EC50 Duration: 72 h

UVElite Page 6 of 7

Test reference: (Growth rate).
The product has not been tested. The statement has been derived from the properties of the individual components.

Acute aquatic, Daphnia

Value: > 10-100 mg/l
Method of testing: EC50
Duration: 48 h
Test reference: The product has not been tested. The statement has been derived from the properties of the individual components.

### 12.2. Persistence and degradability

Persistence and degradability

Not determined.

description

### 12.3. Bioaccumulative potential

Bioaccumulative potential Not determined.

12.4. Mobility in soil

Mobility Soluble in water.

### 12.5. Results of PBT and vPvB assessment

PBT assessment results Not classified as PBT / vPvB of current EU criteria.

#### 12.6. Other adverse effects

Other adverse effects / Remarks None known.

### SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Specify the appropriate methods of disposal	Avoid release to the environment. Collect spillage. Wastes and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.
Product classified as hazardous waste	No
EWC waste code	EWC: 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS, National waste code: 01, National wastegroup: 12

# SECTION 14: Transport information

### 14.1. UN number

Comments Not dangerous goods.

Transport in accordance with national law and ADR for road, RID for rail, IMDG for sea and ICAO / IATA for air. For complete information on transport, see transport document.

### 14.2. UN proper shipping name

ADR	
RID	
IMDG	
ICAO/IATA	

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

IMDG Marine pollutant No

### 14.6. Special precautions for user

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

UVElite Page 7 of 7

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation and regulations	The labeling of the product according to EC directives 67/548/EEC, 1999/45/EC, see section 2.
	Classification and labeling of substances under Directive 67/548/EC, 1999/45/EC, see section 3.
	Classification and labeling of substances according to Regulation (EC) 1272/2008 (CLP) is in section 3. Safety data sheet is designed according to EU Commission Regulation No. 1907/2006.

# 15.2. Chemical safety assessment

Chemical safety assessment	
performed	

No

SECTION 16: Other info	
List of relevant R-phrases (under	R48/22 Harmful: danger of serious damage to health by prolongedexposure if
headings 2 and 3).	swallowed.
	R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
List of relevant H-phrases (Section	H373 May cause damage to organs through prolonged or repeated exposure
2 and 3).	H411 Toxic to aquatic life with long lasting effects.
Version	1
Responsible for safety data sheet	Arboritec AB
Comments	The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all
	necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.